
Contents

Preface

<i>K. Conrad, M. Bachmann, E.K.L. Chan, M. Fritzler, R.L. Humbel, U. Sack, Y. Shoenfeld</i>	19
---	-----------

**1 Pathogenesis and Therapy of Autoimmunity in Experimental
Mouse Models**

Autoimmunity in men and mice: An introduction <i>M.P. Bachmann, K. Conrad.....</i>	21
Novel autoimmune models: lessons from recent transgenic and knock in animals <i>M.P. Bachmann.....</i>	24
Long-lived plasma cells contribute to humoral autoimmunity <i>F. Hiepe, A. Radbruch, R.A. Manz.....</i>	43
Innate immunity and interferon production in the pathogenesis of autoantibodies in lupus <i>D.C. Nacionales, H. Zhuang, K.M. Kelly, S. Narain, J. Weinstein, M. Honkanen-Scott, H. B. Richards, E. Sobel, M. Satoh, W.H. Reeves</i>	50
Autoimmune pregnancy loss – Experimental models <i>M. Blank, Y. Shoenfeld.....</i>	71
Pathogenicity of autoantibodies reactive with the endogenous retroviral envelope glycoprotein gp70 <i>M. Miyazawa, E. Kajiwara, N. Tabata, T. Ogawa, T. Yuasa, H. Matsumura</i>	85
Rheumatic Fever: an animal model for a human disease <i>F.F. Alcantara, E. Postol, E.R. Alencar, J. Kalil, L. Guilherme.....</i>	97
Demonstration of humoral autoimmunity in the tight skin-2 mouse: a model for systemic sclerosis <i>J. Gentiletti, S.A. Jimenez, P. Christner</i>	98

Enhancement of autoantibody pathogenicity by viral infections in mouse models of anemia and thrombocytopenia <i>A. Musaji, M. Meite, L. Detalle, S. Franquin, F. Cormont, V. Préat, S. Izui, J.-P. Coutelier.....</i>	99
Binding properties of a sequence-specific pathogenic Lupus anti-ssDNA autoantibody <i>M. Bobeck, J. Cleary, G.D. Glick.....</i>	100
The role of proinflammatory stimuli in the pathogenesis of MPO-ANCA associated vasculitis in a mouse model using MPO-deficient mice <i>D. Huugen, H. Xiao, A. van Esch, C.J. Peutz-Kootstra, J.C. Jennette, J.W. Cohen Tervaert, P. Heeringa</i>	102
Syngeneic cells in late apoptosis mature DC <i>in vivo</i> and induce antibodies to dsDNA and neo-epitopes of La/SS-B in immunized mice <i>Z. Pan, K. Davis, S. Maier, J. Workman, M.P. Bachmann, A.D. Farris</i>	104
Peptide mimetics of anti-dsDNA idiotypes as a tool for Lupus-specific IVIG preparation: Specificity and efficacy in the treatment of experimental SLE <i>M. Blank, I. Nur, R. Meidler, L. Bar, L. Slutzki, B. Gilburd, Y. Shoenfeld</i>	106
IgM anti-dsDNA antibodies as a treatment of murine systemic Lupus erythematosus (SLE) <i>S. Werwitzke, D. Trick, K. Kamino, T. Matthias, K. Kniesch, B. Schlegelberger, R.E. Schmidt, T. Witte</i>	107
Selective suppression of DNA-specific B cells in lupus mice by a chimeric antibody/peptide molecule <i>A. Tchorbanov, E. Voynova, N. Mihailova, T. Vassilev.....</i>	109
2 Natural and Pathogenic Autoantibodies	
Beneficial aspects of natural autoantibodies <i>J. Bayry, N. Misra, A. Ephrem, A. Nicoletti, S. Lacroix-Desmazes, M.D. Kazatchkine, S.V. Kaveri</i>	112
Receptors of the innate immunity as targets for circulating autoantibodies: antiphospholipid syndrome as a paradigm <i>P.L. Meroni and Y. Shoenfeld</i>	118

Catalytically active antibodies in patients with autoimmune diseases <i>G.A. Nevinsky</i>	126
--	-----

3 Molecular Mechanisms of Xenobiotic-Induced Autoimmunity

Immunology and genetics of xenobiotic-induced autoimmunity <i>K.M. Pollard, P. Hultman, M. Arnush, B. Hildebrandt, D.H. Kono</i>	130
Xenobiotic-induced autoimmune responses and protein aggregation diseases share a common subnuclear pathology <i>A. von Mikecz</i>	145
Proteasomal-dependent antigen processing of topoisomerase I in scleroderma <i>M. Chen, A. Tanabajewa, A. Kuhn, T. Ruzicka, A. von Mikecz</i>	158
The immunotoxin mercury chloride induces specific alterations in the cell nucleus <i>A. Scharf, M. Chen, A. von Mikecz</i>	159
Exposure to the organic mercury compound thimerosal leads to immunosuppression followed by systemic autoimmunity <i>S. Havarinasab, B. Häggqvist, E. Björn, K.M. Pollard, P. Hultman</i>	161
The importance of Fc-receptors in mercury-induced autoimmunity <i>K. Martinsson, P. Hultman</i>	163
An autoimmune response to tyrosine-nitrated autologous IgG: immunogenicity of a self protein bearing the inflammation-associated marker <i>H. Ohmori, M. Oka, H. Shigemitsu, Y. Nishikawa, M. Takeuchi, M. Magari, N. Kanayama</i>	164

4 Genetic Factors and Autoimmunity

Genetic Linkage and association at 1q23 in SLE <i>B. Namjou, K.M. Kaufman, J. Kilpatrick, J.A. Kelly, J.B. Harley</i>	167
Peptidylarginine deiminase type 4: Identification of a rheumatoid arthritis susceptible gene <i>R. Yamada, A. Suzuki, X. Chang, K. Yamamoto</i>	179
Anti-cyclic citrullinated peptide antibody production in rheumatoid arthritis is controlled by HLA-DRB1 <i>I. Senkpiel, M. Marget, M. Wedler, S. Jenisch, J. Georgi, D. Kabelitz, J. Steinmann</i>	196

Gene identification of single chain format variable (scFv) anti- β 2-Glycoprotein-I ($\alpha\beta$ 2GP-I) and anti-prothrombin (aPt) antibodies obtained from a primary anti-phospholipid syndrome (PAPS) patient by phage display <i>J. Cabiedes, M. Languren, B. Becerril, L.E. Fernández-Altuna, V. Pascual, D. Alarcón-Segovia, A.R. Cabral</i>	198
The contribution of Fc γ RIIIA and interleukin 10 (IL-10) gene promoter polymorphisms to genetic susceptibility of systemic lupus erythematosus (SLE) and lupus nephritis in Russian population <i>I. Guseva, A. Gelonkina, E. Luchihina, M. Ivanova, V. Myakotkin</i>	200
5 Novel Autoantibodies of Pathogenetic and/or Clinical Relevance	
Autoantibody target GW bodies - cytoplasmic foci of mRNA decay and regulatory functions <i>E.K.L. Chan</i>	203
Autoimmunity to the survival protein LEDGF/p75 in inflammatory disorders and cancer: Clinical and biological aspects <i>T.A. Brown-Bryan, T. Daniels, C.A. Casiano</i>	209
Autoantibodies to mitotic chromosomes and spindle apparatus <i>R.L. Humbel</i>	228
Reflections about structure, function and pathogenetic significance of Ro ribonucleoproteins <i>G. Steiner, A. Belisova, A. Valai, S. Hayer, E. Höfler, J. Smolen</i>	236
Anti-laminin-1 autoantibodies in reproductive failure: animal and human studies <i>J. Inagaki, A. Kondo, L.R. Lopez, Y. Shoenfeld, E. Matsuura</i>	243
False-positive perinuclear antineutrophil cytoplasmic antibody (P-ANCA) in hemodialysis patients and analysis of their target antigens <i>T. Uchimura, S. Yamada, K. Inoue, Y. Motomiya, T. Hashiguchi, I. Maruyama</i>	253
Elevated anti-serum amyloid component P (SAP) antibodies in SLE patients correlate with disease activity <i>G. Zandman-Goddard, M. Blank, P. Langevitz, M. Pras, Y. Levy, T. Witte, A. Doria, J. Rovinsky, Y. Shoenfeld</i>	259

Autoantibodies to hnRNP-A1 in neuropsychiatric Lupus and other neurological diseases <i>G. Burguera, K. Adolph, A. Förster, G. Riemekasten, G.R. Burmester, K. Skriner.....</i>	261
The 40/38 kDa hnRNP-A3, a component of the mRNA transport particle, is a novel autoantigen in patients with systemic rheumatic diseases <i>K. Adolph, A. Sternjak, A. Förster, G. Steiner, G.R. Burmester, K. Skriner.....</i>	263
The translational suppressors TIA-1 and TIAR are targeted by autoantibodies and are overexpressed in inflamed skin of lupus patients <i>E. Jimenez-Boj, N. Kedersha, M. Tohidast-Akrad, F. Karlhofer, G. Stummvoll, C. Zimmermann, E. Höfler, S. Hayer, G. Schett, P. Anderson, J. Smolen, G. Steiner</i>	265
Clinical correlations of anti-CENP-F antibodies in a cohort of patients from Southern Spain <i>I. Wichmann, R. Magariño, I. Magariño, A. Torres, N. Respaldiza, M. Encarnación, A. Fernández-Suarez, A. Nuñez-Roldán</i>	267
Presence of antibodies against GSTT1 (glutathion S-transferase T1) in non-transplanted patients <i>I. Wichmann, I. Aguilera, J.M. Sousa, A. Bernardos, J.R. García-Lozano, A. Núñez-Roldán.....</i>	269
6 Humoral Autoimmunity in Neurological Diseases	
B cells and antibodies in demyelinating diseases like multiple sclerosis <i>T. Ziemssen.....</i>	272
Autoimmunity and post-translational modifications in multiple sclerosis <i>R. Raijmakers, W.J. van Venrooij, G.J.M. Pruijn.....</i>	290
Complex regional pain syndrome (M. Sudeck) is associated with autoantibodies against autonomic nervous system structures <i>F. Blaes, K. Schmitz, M. Tschnatsch, O. Matz, M. Kaps, M. Bräu.....</i>	299
Association between circulating C1q- and C3d-immune complexes and the course of Alzheimer's disease <i>M. Cojocaru, I.M. Cojocaru, D. Iordanescu</i>	300

IgG and IgM antibodies to neurofilaments in patients with multiple sclerosis <i>I.M. Malbohan, A. Bartos, L. Fialová, J. Soukupová, J. Kozeny</i>	301
Anti-glycolipid IgG functionality predicts clinical symptoms in a Guillain-Barré syndrome animal model <i>N.M. van Sorge, L.H. van den Berg, M.D. Jansen, J.G.J. van de Winkel, N. Yuki, W-L. van der Pol</i>	302
Frequencies of anti-MOG IgG autoantibodies in serum and cerebrospinal fluid of patients with multiple sclerosis depend on the nature of the antigen and western blotting assay conditions <i>U. Wurster, R.B. Lindert, I. Torens, F. Heidenreich</i>	304
7 Autoantibodies in Systemic Autoimmune Diseases	
Autoimmunity: Past, present and future <i>M. Reichlin</i>	307
7.1 Autoantibodies in Rheumatoid Arthritis	
Anti-CCP antibody - a specific and early marker for rheumatoid arthritis <i>A.J.W. Zendman, E.R. Vossenaar, W.J. van Venrooij, G.J.M. Pruijn</i>	320
The diagnostic and prognostic significance of autoantibodies in patients with very early rheumatoid arthritis <i>V.P.K. Nell, K.P. Machold, T.A. Stamm, G. Eberl, W. Hueber, M. Uffmann, J.S. Smolen, G. Steiner</i>	330
Immunomic analysis of synovial fluid exosomes reveals citrullinated proteins in patients with rheumatoid arthritis <i>K. Adolph, F. Schumann, P. Jungblut, G.R. Burmester, K. Skriner</i>	333
Anti-CCP antibodies: Diagnostic sensitivity in Canterbury health laboratories <i>M.B. Spellerberg, K.K. Solanki, P.T Chapman, P.W. Moller, J.L. O'Donnell</i>	335
Anti-CCP antibodies may occur in patients with true psoriatic arthritis <i>I.E.A. Hoffman, B.V. Cruyssen, H. Zmierczak, M. Vandenberghe, E. Kruithof, L. De Rycke, D. Baeten, H. Mielants, E.M. Veys, F. De Keyser</i>	336

Low prevalence of anti-citrullinated peptide antibodies in polyarticular juvenile idiopathic arthritis <i>I.E.A. Hoffman, P. Dewint, S. Rogge, R. Joos, J. Dehoorne, A. Union, E.M. Veys, F. De Keyser, D. Elewaut</i>	338
VIDAS-EDRA: the first automated testing for autoantibodies to citrullinated proteins <i>L. Nogueira, A. Foussadier, A. Constantin, C. Clavel, C. Vincent, A. Cantagrel, M. Jolivet, G. Serre</i>	340
Antibodies to recombinant human 60 kDa heat shock protein in sera of patients with juvenile idiopathic arthritis <i>I. Hromadnikova I, D. Zlacka, H. Nguyen, P. Vavrincova</i>	342
Cell responses to heat shock proteins 60, 65, 70 and synthetic hsp-derived peptides in patients with juvenile idiopathic arthritis <i>L. Sedlackova, P. Vavrincova, J. Velek, I. Hromadnikova</i>	344
7.2 Autoantibodies in SLE	
The diagnostic and prognostic role of anti-C1q Antibodies in SLE <i>N. Bizzaro, D. Villalta, E. Tonutti, R. Tozzoli, S. Zampieri, A. Ghirardello, A. Doria</i>	347
Anti-C1q antibodies in Lupus nephritis <i>N. Miehle, F. Petschner, B. Nettlenbusch, S. Bartschat-Dominke, U.A. Walker, K. Warnatz, M. Schlesier, H.H. Peter</i>	350
Identification and characterization of a SLE specific SmD3 mimotope peptide <i>M. Mahler, M.J. Fritzler, M. Blüthne</i>	351
Diagnostic accuracy of the SmD ¹⁸³⁻¹¹⁷ antibody immunoassay in SLE <i>R. Tozzoli, G. Kodermaz, N. Bizzaro, D. Villalta, E. Tonutti, A. Ghirardello, A. Doria</i>	353
Improved detection of autoantibodies to the three ribosomal P proteins <i>M. Mahler, K. Kessenbrock, M. Szmyrka, P. Höpfel, M.J. Fritzler</i>	357
Thyroid autoantibodies in patients with systemic lupus erythematosus and rheumatoid arthritis <i>I. Kostic, R. Petrovic, M. Bukilica, S. Zivancevic-Simonovic</i>	359

TNF-alpha-induced surface expression of 52 kDa Ro/SS-A autoantigen is not sufficient for induction of ADCC in normal human keratinocytes.	
<i>P. Großmann, V. Gerl, C. Johnen, B. Hostmann, K. Bräutigam, N. Toman, F.-W. von Hesler, A. Radbruch, F. Hiepe.....</i>	360
Antinuclear and lymphocytotoxic autoantibodies in SLE: does ANA act as lymphocytotoxic antibodies?	
<i>D. Kozáková, V. Bosák, L. Cebecauer, J. Lukáč, J. Rovensky.....</i>	361
CD11c high expressing dendritic cells (DCs) are upregulated in SLE	
<i>V. Gerl, P. Großmann, D. Panne, M. Gerl, A. Waka, A., B. Hostmann, K. Reiter, J. Kaufmann, A. Jacobi, T. Alexander, A. Radbruch, F. Hiepe.....</i>	363
7.3 Autoantibodies in Systemic Sclerosis, Myositis and Overlap Syndromes	
Anti-topoisomerase I (anti-Scl-70) autoantibodies are specific to scleroderma and are not present in patients with SLE	
<i>T. Prestigiacomo, M. Watkins, S.R. Binder.....</i>	365
Autoimmune sera preferentially recognize the apoptotic 40 kDa fragment of the U1-70K antigen	
<i>G.J.M. Pruijn, D. Hof, K. Cheung, W.J. van Venrooij, J.M.H. Raats</i>	369
PM/Scl-75 is the main autoantigen in patients with the polymyositis/scleroderma overlap syndrome	
<i>R. Rajmakers, M. Renz, C. Wiemann, W.V. Egberts, H.P. Seelig, W.J. van Venrooij, G.J.M. Pruijn</i>	371
Autoantibodies reacting with antigen(s) of the cleavage furrow and the midbody region – specific for patients of the systemic sclerosis spectrum ?	
<i>B. Roch, K. Conrad, Uta Kießling, A.K. Menzel, M.P. Bachmann, H.E. Schröder.....</i>	372
Exploring the role of caspase-3 in human dermal endothelial cell apoptosis induced by scleroderma serum	
<i>S. Ahmed.....</i>	374

7.4 Autoantibodies in Sjögren's Syndrome

Autoantibodies against M3 muscarinic acetylcholine receptors in patients with Sjögren's syndrome

T. Sumida, Y. Naito, E. Wakamatsu, D. Goto, S. Ito, A. Tsutsumi, I. Matsumoto..... 377

Antibodies against 25-mer synthetic peptide of M3 muscarinic acetylcholine receptor in patients with Sjögren's syndrome and SLE

P. Zigon, S. Cucnik, B. Bozic, B. Rozman, M. Plesivcnik - Novljan, M. Tomsic, T. Kveder 378

Anti- α fodrin antibodies in patients with primary Sjögren's syndrome: poor analytical sensitivity or low nosographic prevalence?

N. Bizzaro, D. Villalta, E. Tonutti, R. Tozzoli 380

Patterns of anti-nuclear antibodies (ANA) among patients with primary Sjögren's syndrome with correlation to internal organ affection

H. Locht, R. Pelck, M. Høier Madsen, A. Wiik, R. Manthorpe 383

Anti-La (SSB) autoantibodies are strongly associated with internal organ damage in patients with primary Sjögren's syndrome

R. Pelck, H. Locht, R. Manthorpe 385

7.5 Autoantibodies in Atherosclerosis, Recurrent Miscarriages and Antiphospholipid Syndrome

Atherogenic role of protein-modified oxidized low-density lipoproteins and their autoantibodies

E. Matsuura, K. Kobayashi, Y. Shoenfeld, L.R. Lopez 388

Autoantibodies and recurrent miscarriages

I. Marai, Y. Shoenfeld 406

Identification of a peptide mimicing the binding pattern of anti-Cardiolipin antibodies

C. Buschmann, C. Fischer, A. Stachl, K.J. Lackner, P. von Landenberg 421

The clinical significance of the determination of antiphospholipid antibodies – a retrospective study

Z. Vanková, K. Malíčková, T. Fucíková, I. Janatková, H. Marecková 422

Heterogeneous avidity of anti- β 2-glycoprotein I antibodies <i>S. Cucnik, T. Kveder, B. Rozman, B. Bozic</i>	424
--	-----

8 Therapy-induced Antibodies

Antibodies against protein based therapeutics – an overview <i>H. Schellekens, A. Kromminga</i>	427
--	-----

Infliximab therapy in Crohn's disease induced autoantibodies restricted to antinuclear and anti-doublestranded DNA autoantibodies without autoimmune clinical manifestations <i>E. Blanvillain, B. Parmentier, D. Boucaud-Maitre, S. Nancey, B. Flourié, A. Moreira, J. Bienvenu, N. Fabien</i>	437
--	-----

Anti-nuclear antibody profiles during infliximab and etanercept treatment in spondyloarthropathy: Is induction of humoral autoimmunity by TNF-alpha blockade a class effect? <i>L. De Rycke, E. Kruithof, F. Van den Bosch, I.E.A Hoffman, E.M. Veys, D. Baeten, F. De Keyser</i>	438
--	-----

9 Methodical Aspects and Diagnostic Strategies

Guidelines and approaches to autoantibody testing <i>A. Wiik</i>	441
---	-----

9.1 Multiplex Assays for Autoantibody Profiling

New technologies in the detection of autoantibodies: Evaluation of addressable laser bead immunoassays (ALBIA) <i>M.J. Fritzler</i>	449
---	-----

Multiplexed analysis of thirteen autoantibodies using the BioPlex™ 2200 fully automated immunoassay analyzer <i>T. Prestigiacomo, R.L. Humbel, B. Larida, S.R. Binder</i>	463
--	-----

Multicentre evaluation of the new multiplex assay FIDIS Connective. Comparison with conventional methods <i>I. Abreu, A. Bastos, C. Cardoso, H. Ribeiro, N. Couceiro, A. Bodas, A.M. Pereira, J. Candeias, J.A.M. Caetano</i>	467
--	-----

Sensitivity and specificity of the FIDIS multiplex immunoassay system for the detection of dsDNA and nuclear specific antibodies in autoimmune rheumatic diseases <i>R. Tozzoli, G. Kodermaç, N. Bizzaro, D. Villalta, E. Tonutti, A. Ghirardello, A. Doria</i>	469
--	-----

Comparison of two multiplex assays for anti-ENA/ANA determination <i>I. Lochman, A. Kloudova, J. Lupac</i>	471
Autoantibody profiling and lymphocyte characterization using autoantigen and lysate arrays <i>P.J. Utz, S.M. Chan</i>	473
Development of a sensitive and reliable biochip for detection of autoantibodies in rheumatic diseases <i>Ch. Hentschel, W. Schoessler, J. Schulte-Pelkum, J. Kreutzberger, F. Hiepe</i>	484
Comparison of different test systems for simultaneous autoantibody detection <i>T. Lüttich, M. Sticherling, D. Scholz, K. Hennig, P. Eißfeller, M. Motz, A. Kromminga</i>	490
9.2 Antinuclear Antibodies	
Distinctive features of antinuclear antibodies observed in health and in subjects with autoimmune rheumatic diseases <i>P.G. Leser, A. Dellavance, S.H. Barbosa, G. Guis, S.H. Rodrigues, E.I. Sato, L.E.C. Andrade</i>	493
IgG, IgA, and IgM isotypes of anti-nuclear/-cytoplasmic antibodies <i>N. Werner, R.L. Humbel</i>	510
An image inspection system for the automatic classification of HEp-2 cell patterns <i>P. Perner, H. Perner, R. Sonntag</i>	511
Results of the European Consensus Finding Study Group on Autoantibodies (March 2003 – March 2004) <i>D. Hamann, P. Charles, M. Renz, H.P. Seelig, A. Wiik, R.J.T. Smeenk</i>	523
The SS-A/Ro 60 kDa protein is sufficient for the detection of autoantibodies against SS-A <i>W. Meyer, T. Scheper, M. Siegemund, K. Takeuchi, W. Schlumberger, W. Stöcker</i>	525
The clinical sensitivities and specificities of anti-SSA-52 (Ro-52) and anti-SSA-60 (Ro60) autoantibodies are dependent on the techniques used to detect them <i>R. Burlingame, A. Piette, C. Peebles, C. von Muhlen, R. Williams, M. Fritzler, P. Charles, K.M. Pollard, N. Fertig, C. Watkins, C. Oddis</i>	527

The optimal anti-dsDNA antibody test strategy for the routine immunological laboratory?
V. Král, I. Stiborová, D. Jílek 529

Autoantibodies in two patients with selective IgM deficiency
J. Litzman, P. Nemeč, V. Thon, J. Lokaj 531

9.3 ANCA

Evaluation of a new fluorescent-enzyme immuno-assay for diagnosis and follow-up of ANCA-associated vasculitis
J.G.M.C. Damoiseaux, J. Austen, M.C. Slot, M. Vaessen, C.A. Stegeman, P. van Paassen, J.W. Cohen Tervaert 533

A newly developed anti-PR3 Capture ELISA shows a higher correlation to positive cANCA results and a better serological hit rate than a direct anti-PR3 ELISA
C. Daehnrich, W. Schlumberger, C. Lehmann, W. Stöcker 534

High mobility group box-1 (HMGB-1) is a major target antigen of perinuclear anti-neutrophil cytoplasmic antibodies (pANCA) in maintenance hemodialysis patients
T. Uchimura, Y. Motomiya, T. Hashiguchi, K. Inoue, S. Yamada, I. Maruyama 536

9.4 Diagnosis and Prediction of Organ-specific Autoimmune Diseases

Diagnosis of goblet cell antibodies in ulcerative colitis by using the cell line HT29-18N2 as antigenic substrate
L. Komorowski, S. Mindorf, B. Teegen, S. Torkler, W. Stoecker 539

Anti-intestinal goblet cell antibodies in ulcerative colitis
M. Cojocaru, I.M. Cojocaru 551

The role of ASCAs in the diagnosis of Crohn's disease: Evidence for a wide variability of commercial methods and for a high prevalence in celiac patients
E. Tonutti, M. Poletto, D. Visentini, R. Maierón, M. Zilli, N. Bizzaro 553

The autoimmune reactions in patients with inflammatory bowel disease with rheumatic manifestations
N. Virstyuk, E. Neyko, M. Orynychak, V. Neyko 555

Comparison of the diagnostic accuracy of three methods to detect celiac disease <i>M. Stern, A. Patel, G. Blumenstock, T. Mothes, O. Bauer, M. Renz, H.P. Seelig</i>	556
The diagnostic accuracy of anti-actin antibody detection by immunoblot, ELISA and indirect immunofluorescence methods in patients with autoimmune hepatitis <i>D. Villalta, S. Platzgummer, M. Liguori, M. Tampozia, A. Baragiotta, E. Tonutti, R. Tozzoli , N. Bizzaro</i>	558
New ELISA for determination of glutamic acid decarboxylase (GAD65) autoantibodies in type 1 diabetes mellitus <i>C. Krueger, H. Brooking, B.R. Smith, W. Stoecker</i>	561
Stratification of type 1 diabetes risk on the basis of islet autoantibody characteristics in the general population – The Karlsburg Type 1 Diabetes risk study <i>M. Schlosser, M. Strebelow, I. Rjasanowski, R. Wassmuth, W. Kerner</i>	562
Heat shock protein 70 (hsp70) antibodies in immuno-mediated inner ear diseases <i>R. Tozzoli, G. Kodermaz, M. Tampozia, N. Bizzaro, A. Tedesco, D. Villalta, E. Tonutti</i>	564
9.5 Miscellaneous Investigation	
The role of anti-IgE autoantibodies in diagnosis of IgE mediated diseases <i>I. Lochman, V. Krauz</i>	567
Alteration of autoantibodies against p53 in Taiwanese lung cancer patients undergoing chemotherapy <i>Y.L. Lee, C.M. Shih, H.L. Chiou, M.Y. Shiau, G.C. Chang, Y.H.Chang</i>	570
Autoantibodies against tumor suppressor protein p53 in pleural effusions of patients with tuberculosis pleurisy <i>Y.L. Lee, L. Wang, C.M. Shih, Y.H. Chang, H.L. Chiou, G.H. Shen, M.Y. Shiau</i>	571
Immunological aspect of Perthes' disease and slipped capital femoral epiphysis in children - antiphospholipid antibodies <i>M. Latalski, M. Koziol-Montewka, A. Gregosiewicz, M. Tokarska-Rodak, T. Raganowicz, G. Kandzierski</i>	572

Cytofluorimetric analysis of apoptosis markers CD95/CD95L (Fas/FasL) in thyroid tissues from young patients with Graves' disease and Hashimoto's thyroiditis <i>A. Bossowski, A. Stasiak-Barmuta, B. Czarnocka, M. Urban, A.P. Weetman, M. Niedziela, E. Korman, J. Dadan</i>	574
Colour Pictures	576
Index of Authors	590
Subject Index	596