
Table of contents

Section A.

Dialyser components and aspects of dialyser construction

1. Historical overview.....	15
2. Membrane family overview and nomenclature.....	36
2.1 Cellulose-based membranes	39
2.1.1 Regenerated cellulose.....	39
2.1.2 Modified regenerated cellulose (Hemophan [®] , SMC [®]).....	42
2.1.3 Regenerated cellulose grafts (AM-BIO, Excebrane).....	45
2.1.4 Cellulose acetate	47
2.2 Synthetic membranes	50
2.2.1 Polyacrylonitrile (PAN, AN69 [®] , AN69 ST)	51
2.2.2 Polymethylmethacrylate (PMMA)	54
2.2.3 Ethylenevinylalcohol copolymer (EVAL [®]).	56
2.2.4 Polycarbonate polyether (Gambrane [®])	57
2.2.5 Polyamide	58
2.2.6 Polysulfones (Fresenius Polysulfone [®] , Helixone [®] , α polysulfone, Asahi polysulfone [®] , Toraysulfone [®]).	59
2.2.7 Poly(aryl)ethersulfones (PEPA [®] , Arylane, DIAPES [®] , Polyamix TM)	63
3. Dialyser constructions.....	73
3.1. Parallel-plate dialysers.....	73
3.2 Hollow-fibre dialysers	75
4. Dialyser sterilisation.....	80
4.1 Sterilisation with ethylene oxide gas.....	83
4.2 Radiation sterilisation.....	86

4.3 Thermal sterilisation	91
4.4 Comparison of sterilisation procedures	93

Section B. Dialyser performance

5. Performance parameters	103
5.1 Ultrafiltration coefficients.....	105
5.1.1 Standard values	107
5.1.2 Ultrafiltration coefficients in vivo	111
5.1.3 Association between ultrafiltration coefficient and solute removal	113
5.1.4 The role of the ultrafiltration coefficient in backfiltration.....	115
5.2 Clearance, dialysance and K_oA	117
5.2.1 Typical dialyser clearance values	120
5.2.2 Dialyser clearance in vivo	127
5.2.3 Effect of flow conditions on dialyser clearance – the K_oA concept	133
5.3 Specific measures for the removal of middle molecules	141
5.3.1 Membrane sieving coefficient.....	142
5.3.2 Percentage reduction during dialysis	146
5.3.3 Total amount of solute removed.....	148
5.3.4 Critical assessment of measures for middle molecule removal	150
5.4 Retention of large solutes	154
5.4.1 Albumin leakage and amino acid loss	155
6. Performance-enhancing designs	173
6.1 Constructions for optimising dialysis fluid flow within the dialyser	173
6.2 Approaches to optimise blood access to the membrane.....	181
6.3 Changes in fibre geometry and membrane structure aimed at improving transmembrane transport.....	185

Section C.

Dialyser biocompatibility

7. Basic principles of biocompatibility assessment	199
7.1 Membrane thrombogenicity.....	200
7.1.1 Platelet activation.....	203
7.1.2 Coagulation activation and thrombus formation	205
7.1.3 Main anticoagulatory mechanisms.....	209
7.1.4 The role of anticoagulation in biocompatibility.....	209
7.1.4.1 Heparin / low molecular weight heparins.....	210
7.1.4.2 Citrate	212
7.1.4.3 Prostacyclin.....	213
7.2 Complement activation.....	213
7.3 Activation of leukocytes.....	220
7.3.1 Stimulation of neutrophils and monocytes	220
7.3.2.1 Induction of oxidative stress.....	229
7.3.2.2 Stimulation of cytokine generation.....	232
7.3.3 Stimulation of basophilic leukocytes and mast cells	237
7.3.4 The role of immune cell stimulation in the generation of β2-microglobulin	240
7.3.5 Stimulation of the adaptive (specific) immune system – hypersensitivity.....	242
7.4 Activation of the kinin system – anaphylactoid reactions	243
7.5 Bioincompatibility aspects of advanced glycation and oxidation end-product formation.....	245
8. Biocompatibility characteristics of dialysers and haemofilters	261
8.1 Thrombogenicity of dialysers.....	262
8.2. Complement activation by dialysers.....	268
8.3. Cell activation by dialysers	273
8.3.1 Stimulation of neutrophils and monocytes	274
8.3.1.1 Oxygen species production - Induction of oxidative stress	279
8.3.1.2 Degranulation of neutrophils	282
8.3.2 Stimulation of cytokine generation by dialysers.....	284
8.3.3 Effect of dialysers on the acute phase reaction	296
8.4 Activation of the kinin system by dialysers.....	299

Section D. Clinical experience

9. Acute adverse reactions associated with dialyser choice	315
9.1 Clinical manifestations.....	318
9.2 Aetiology and prevention	320
9.2.1 Leachables	329
9.2.1.1 Ethylene oxide.....	329
9.2.1.2 Other chemical residues.....	333
9.2.1.3 Membrane degradation products	335
9.2.2 Membrane bioincompatibility.....	335
9.2.2.1 Anaphylactoid reactions	336
9.2.2.2 Dialysis-associated hypoxaemia.....	344
9.2.2.3 Cardiovascular and other intra- and postdialytic reactions	346
10. Possible contributions of dialyser characteristics to long-term problems in ESRD	365
10.1 Pathophysiological pathways common to various diseases	366
10.1.1 Chronic inflammatory state.....	368
10.1.2 Oxidative stress.....	379
10.1.3 Carbonyl stress.....	389
10.2 Malnutrition	393
10.3 Renal anaemia.....	403
10.4 Loss of residual renal function	410
10.5 Atherosclerosis.....	413
10.5.1 Plasma lipids.....	416
10.5.2 Homocysteine	424
10.6 Susceptibility to infection	427
10.7 Amyloidosis.....	429
10.8 Pruritus.....	439
10.9 Peripheral nerve function	440
11. Cumulative effects of patient, treatment and device factors on mortality	477
11.1 Specific ESRD-associated mortality factors.....	478
11.2 Influence of dialyser and haemofilter characteristics on mortality	493

Section E. Dialyser reuse

12. Dialyser reuse	511
12.1 Effect of reuse on dialyser performance.....	518
12.1.1 Main concerns.....	522
12.2 Effect of reuse on dialyser biocompatibility and clinical behaviour.....	525
12.2.1 Open questions.....	527
Glossary	544
Appendix 1 – Relevant formulae.....	567
Appendix 2 – List of dialysers and membranes available on the market ...	573
Index.....	597